

Prüfgewichte und deren Toleranzangaben in \pm mg

Nominalgewicht	Klasse F1	Klasse F2	Klasse M1	Klasse M2	Bemerkungen
1 mg	± 0.02	± 0.06	± 0.20		Monolith. Plättchengewicht
2 mg	± 0.02	± 0.06	± 0.20		Monolith. Plättchengewicht
5 mg	± 0.02	± 0.06	± 0.20		Monolith. Plättchengewicht
10 mg	± 0.025	± 0.08	± 0.25		Monolith. Plättchengewicht
20 mg	± 0.03	± 0.10	± 0.30		Monolith. Plättchengewicht
50 mg	± 0.04	± 0.12	± 0.40		Monolith. Plättchengewicht
100 mg	± 0.05	± 0.16	± 0.50		Monolith. Plättchengewicht
200 mg	± 0.06	± 0.20	± 0.60		Monolith. Plättchengewicht
500 mg	± 0.08	± 0.25	± 0.80		Monolith. Plättchengewicht
1 g	± 0.10	± 0.30	± 1.00	± 3.00	
2 g	± 0.12	± 0.40	± 1.20	± 4.00	
5 g	± 0.16	± 0.50	± 1.60	± 5.00	
10 g	± 0.20	± 0.60	± 2.00	± 6.00	
20 g	± 0.25	± 0.80	± 2.50	± 8.00	
50 g	± 0.30	± 1.00	± 3.00	± 10.00	
100 g	± 0.50	± 1.60	± 5.00	± 16.00	
200 g	± 1.00	± 3.00	± 10.00	± 30.00	
500 g	± 2.50	± 8.00	± 25.00	± 80.00	
1 kg	± 5	± 16	± 50	± 160	
2 kg	± 10	± 30	± 100	± 300	
5 kg	± 25	± 80	± 250	± 800	
10 kg	± 50	± 160	± 500	± 1600	
20 kg	± 100	± 300	± 1000	± 3000	